

Attorney Docket: 622/40901CO
PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Roman SCHERTLER
Serial No.: 08/962,776 Group Art Unit: 3206
Filed: November 3, 1997 Examiner: K. NGUYEN
Title: A VACUUM PROCESS APPARATUS

RECEIVED

MAY 18 1998

REQUEST FOR CORRECTED OFFICIAL FILING RECEIPT


GROUP 3200
May 13, 1998

APPLICATION PROCESSING DIVISION
CUSTOMER CORRECTION BRANCH
Assistant Commissioner for Patents
Washington, D.C. 20231

Sir:

On the attached Filing Receipt, it was noted that the number of drawings was incorrect. Please make a change to reflect the correct number of drawings which is "5" instead of "0", as shown on the filing receipt.

Respectfully submitted,



James F. McKeown
Registration No. 25,406

EVENSON, McKEOWN, EDWARDS
& LENAHA, P.L.L.C.
1200 G Street, N.W., Suite 700
Washington, DC 20005-3814
Telephone No.: (202) 628-8800
Facsimile No.: (202) 628-8844

JFM/ats

FILING RECEIPT



UNITED STATES DEPARTMENT OF COMMERCE
Patent and Trademark Office
ASSISTANT SECRETARY AND COMMISSIONER
OF PATENTS AND TRADEMARKS
Washington, D.C. 20231

APPLICATION NUMBER	FILING DATE	GRP ART UNIT	FIL FEE REC'D	ATTORNEY DOCKET NO.	DRWGS	TOT CL	IND CL
08/962,776	11/03/97	3206	\$1,426.00	622/40901C0	0	34	7

EVENSON MCKEOWN EDWARDS & LENAHA
1200 G STREET NW
SUITE 700
WASHINGTON DC 20005-3814

Receipt is acknowledged of this nonprovisional Patent Application. It will be considered in its order and you will be notified as to the results of the examination. Be sure to provide the U.S. APPLICATION NUMBER, FILING DATE, NAME OF APPLICANT, and TITLE OF INVENTION when inquiring about this application. Fees transmitted by check or draft are subject to collection. Please verify the accuracy of the data presented on this receipt. If an error is noted on this Filing Receipt, please write to the Application Processing Division's Customer Correction Branch within 10 days of receipt. Please provide a copy of the Filing Receipt with the changes noted thereon.

Applicant(s)

✓ ROMAN SCHERTLER, WOLFURT, AUSTRIA.

CONTINUING DATA AS CLAIMED BY APPLICANT-

THIS APPLN IS A CON OF 08/530,778 09/19/95

FOREIGN APPLICATIONS-

FED REP GERMANY

4117969

05/31/91

TITLE

VACUUM PROCESS APPARATUS

PRELIMINARY CLASS: 029